

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	laser near4 diode and direct near4 current and high near2 frequency near8 current and oscillating near2 circuit near10 inductor and impedance near2 matching near6 circuit near10 capacitor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 15:43
L2	2	laser near4 diode and direct near4 current and high near2 frequency and oscillating near2 circuit near10 inductor and impedance near2 matching near6 circuit near10 capacitor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 15:43
L3	2	laser near4 diode and direct near4 current and high near2 frequency and oscillating near2 circuit and inductor and impedance near2 matching near6 circuit and capacitor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 15:44
L4	2	laser near4 diode and direct near4 current and frequency and oscillating near2 circuit and inductor and impedance near2 matching near6 circuit and capacitor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 15:44
L5	0	laser near4 diode and direct near4 current and driver and oscillating near2 circuit and inductor and impedance near2 matching near6 circuit and capacitor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 15:45
L6	4	laser near4 diode and direct near4 current and driver and high near4 frequency and inductor and impedance near2 matching near6 circuit and capacitor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 15:49
L7	6	laser near4 diode and direct near4 current and high near4 frequency and inductor and impedance near2 matching near6 circuit and capacitor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 15:50
L8	4	laser near4 diode and direct near4 current and inductor and impedance near2 matching near6 capacitor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 15:50

L9	3	laser near4 diode and oscillator near8 inductor and impedance near2 matching near6 capacitor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 15:53
L10	0	372/38.02 and oscillator near8 inductor and impedance near2 matching near6 capacitor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 15:54
L11	3	372/38.02 and (driver or driving near4 diode) and inductor and impedance near2 matching near6 capacitor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 15:56
L12	1	372/38.02 and driving near4 laser and inductor and impedance near2 matching near6 capacitor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 15:56

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	509	372/38.02 and laser near4 driver and (dc or direct adj current) near6 high adj frequency near2 current oscillating near2 circuit and impedance near2 circuit	USPAT	OR	OFF	2005/11/15 15:16
L2	0	372/38.02 and laser near4 driver and (dc or direct adj current) near6 high adj frequency near2 current and oscillating near2 circuit near10 inductor and impedance near2 circuit near10 capacitor	USPAT	OR	OFF	2005/11/15 14:51
L3	0	372/38.02 and laser near4 driver and (dc or direct adj current) near6 high adj frequency near2 current and oscillating near2 circuit and impedance near2 circuit	USPAT	OR	OFF	2005/11/15 14:51
L4	0	372/38.02 and (dc or direct adj current) near6 high adj frequency near2 current and oscillating near2 circuit and impedance near4 circuit	USPAT	OR	OFF	2005/11/15 14:53
L5	0	372/38.02 and (dc or direct adj current) and high adj frequency near2 current and oscillating near2 circuit and impedance near4 circuit	USPAT	OR	OFF	2005/11/15 14:53
L6	0	372/38.02 and direct adj current and high adj frequency near2 current and oscillating near2 circuit and impedance near4 circuit	USPAT	OR	OFF	2005/11/15 14:54
L7	0	372/38.02 and direct adj current and alternating near2 current and oscillating near2 circuit and impedance near4 circuit	USPAT	OR	OFF	2005/11/15 14:54
L8	1	"6,914,872"	USPAT	OR	OFF	2005/11/15 15:17